
REDEFINING HAND PROTECTION

WONDER GRIP®



CATALOGUE 2024

REDEFINING HAND PROTECTION

WONDERGRIP.COM


WONDER GRIP
OIL PLUS


WONDER GRIP
DEXCUT
8 M WG-733


WONDER GRIP
DEXCUT
WG-758


WONDER GRIP

INDEX



WHO ARE WE? 4

OUR PRIORITIES 8

EUROPEAN STANDARDS FOR PROTECTIVE GLOVES 10

OUR TECHNOLOGIES 12

OUR PRODUCTS

- Precision work 14
- General handling 18
- Heavy duty 28
- Cut-resistance 34
- Water resistance 48
- Industrial oils resistance 52
- Thermal resistance 56
- Chemical resistance 62
- Econyl 64

RETAIL EXPERTS 66

WHO ARE WE ?

GLOVES MANUFACTURERS

39 PATENTS

OPTIMISED RANGE

OUR DNA : R&D AND INNOVATION

OWN PRODUCTION FACILITIES

OUR MISSION

REDEFINING HAND PROTECTION

Our specifications are uncompromising and crystal clear: to increase comfort and safety in order to preserve user health, whatever the working environment

OUR VISION

The human hand is, and always has been a precious tool we all know, and use every day. Today, our hands are exposed to the same risks as they were before (burns, frostbite, cuts, irritations, etc.), in addition to a number of musculoskeletal disorders. For today, it is the environment within which the hand is used that has changed. Users work in increasingly complex environments with new and cross risks. Our vision consists in continuously providing the ultimate solution for users faced with a perpetually changing environment. By placing the end-user at the heart of our R&D, Wonder Grip's range of solutions evolves on a permanent basis, redefining the very notion of hand protection. Whether for the most basic of everyday gestures or the execution of difficult manual tasks, in hostile environments, our hands are our most precious tool. This is why the prevention of MSDs (musculoskeletal disorders) is one of our priorities. Our R&D process is focused on a range of innovations aimed at helping reduce muscular and nervous stress for the hand. Hence, Wonder Grip Technology TM, which stems from the same philosophy, offers users greatly increased grip thanks to the coatings we devise within our own plants.

OUR FACTORY

Our factory, located in Dongtai, China, has acquired ISO 9001, ISO 14001 and ISO 45001 certifications. All the production processes - from raw materials to the final product - are managed at high standards. Our factory possesses the latest production facility to maintain a continuous supply of products of the highest quality.



OUR VALUES

WE DEMAND QUALITY

From the choice of raw materials to the final product, Wonder Grip commands and controls all production process phases. After painstakingly selecting the raw materials used to produce our gloves, Wonder Grip permanently controls each and every step of the production process. Thanks to our implemented quality management system, Wonder Grip examines the quality of its products, at varying stages, on a daily basis.

UNRIVALLED COMFORT

Resulting from several years of research and development, Wonder Grip has developed ergonomic moulds aimed at offering its users maximum comfort. Whatever the working conditions, we believe that, over and above protection, it is essential to offer optimal comfort to all users. As such, our engineer teams have developed ergonomic moulds that perfectly match the natural shape of a hand at rest. Hence, each of our product references aims at considerably reducing muscular fatigue, at preventing musculoskeletal disorders (MSDs), whilst offering security, whatever the working environment.

INNOVATION TO SERVE PERFORMANCE

In response to technical changes and changes in working conditions, Wonder Grip places innovation at the heart of its daily activities. Our engineers innovate every day to offer our users ever-increasingly innovative products. They do so, in particular, through continuous product improvement and via the development of new technical fibres. Wonder Grip calls upon a panel of experts and end-users to develop and validate the performance of its new products. What's more, we apply the same degree of top-level requirements to the attractiveness and the modernity of our product design, in an aim to equally satisfy aesthetic demands.

WONDER GRIP PRODUCTION PLANTS AT THE FORERONT OF CERTIFICATION

Over and above offering innovative solutions, Wonder Grip is committed to adopting an all-embracing environmentally friendly approach. From its very creation, Wonder Grip implemented a health, safety and environment quality management system (HSEQ) This system has enabled us to obtaintriple certification based on the requirements set forth in the ISO 9001, ISO 14001 and ISO 45001 (ex OHSAS 18001) standards. Wonder Grip is also renowned for: top quality products , respect for the environment, the health, safety and well-being of its employees. All our gloves are OEKO-TEX® certified. In accordance with REACH regulations, we guarantee that all our products are and will remain devoid of any 'Substances of Very High Concern' (SVHC).




U-Feel Spe
WG-185SHOS
10-XL
WONDER GRIP

OUR PRIORITIES

WONDER GRIP IS COMMITTED TO ENHANCING ITS PRODUCTION PROCESSES, IN ORDER TO FURTHER REDUCE ITS ENVIRONMENTAL IMPACT AND STRIVES PERMANENTLY TO DEVISE PRODUCTS SUITED TO THE MOST SENSITIVE OF SKIN TYPES.

ISO 9001

Our ISO 9001 certification means that our organisation satisfies all prerequisite conditions for an efficient and appropriate quality management system. Wonder Grip's policy towards continuous improvement enables us to guarantee that our products are manufactured according to strict quality requirements.

ISO 14001

ISO 14001 certification is an internationally renowned standard for corporate environmental management. Thanks to Wonder Grip's advanced EMS system, we can control our impact on the environment. ISO 14001 certification is accredited by UKAS.

ISO 45001


Wonder Grip was awarded ISO 45001 accreditation thanks to its commitment to building a greener future, respectful of the safety and the well-being of all its staff members and their families.

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
17.HCN.14623 HOHENSTEIN HTTI
Tested for harmful substances.
www.oeko-tex.com/standard100

Wonder Grip strives to constantly offer its clients more added value. One of the main reasons that spurred us to request this certification was so that we could demonstrate that Wonder Grip stands out from its competitors thanks, not only to the technical quality of its products, but also to the intrinsic quality of the raw materials used. Whereas certain competitors continue to use toxic solvents, which are a hazard for production line operators and end product users, Wonder Grip's difference lies in its OEKO-TEX® accreditation. Wonder Grip Accreditation No.17. HCN.14623.

COMPLIANT · COMPLIANT
REACH

Wonder Grip certifies that all the raw materials used in the manufacture of its products conform to European Union regulations (regulation n°1907/2006): regulation for chemical products and their use', referred to as REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals). The key aim of this directive is to offer the utmost level of protection and safety for human health and the environment.



Sedex is a global membership organisation that prides itself on simplifying trade for the benefit of all. Our work is focused on making it easier for our members to trade in a way that benefits everyone.

SMETA (Sedex Members Ethical Trade Audit) is an audit method to evaluate all aspects of responsible business practice in global supply chains. Specifically, the 4-pillar SMETA encompasses labour standards, health and safety, the environment, and business ethics.

Wonder Grip prides itself on its open and transparent dialogue with its employees, turning their suggestions into concrete actions. Wonder Grip constantly seeks to improve through its involvement in continuous research.

We are proud to have joined the British Safety Industry Federation (BSIF). As a protective glove manufacturer, innovation, quality control and compliance are our priorities.

EUROPEAN STANDARDS

EN ISO 21420
GENERAL REQUIREMENTS

The pictogram indicates that the user has to consult the Instructions of use. EN ISO 21 420 lays out the general requirements of most types of protective gloves as: ergonomy, construction (PH neutrality: shall be greater than 3.5 and less than 9.5, amount of detectable chrome VI, less than3mg/kg and no allergenic substances), electrostratic properties, innocuousness and comfort (size).

Selection of the protective glove size according to hand length

Glove size	Minimal length (mm)
6	220
7	230
8	240
9	250
10	260
11	260

EN388: 2016
abcdef

EN 388:2016
PROTECTION AGAINST MECHANICAL RISKS

The figures in the table for EN standards indicate results the gloves attained in each test. The test values are given as a six-figure code. The higher figure is the better result.

Abrasion resistance (0-4), Circular blade cut resistance (0-5), Tear resistance (0-4), Straight blade cut resistance (A-F) and impact resistance (P or no mark)

TEST / PERFORMANCE LEVEL	0	1	2	3	4	5
a. Abrasion resistance (cycles)	< 100	100	500	2000	8000	-
b. Blade cut resistance (factor)	< 1.2	1.2	2.5	5.0	10.0	20.0
c. Tear resistance (newton)	< 10	10	25	50	75	-
d. Puncture resistance (newton)	< 20	20	60	100	150	-
TEST / PERFORMANCE LEVEL	**A**	**B**	**C**	**D**	**E**	**F**
e. Straight blade cut resistance (newton)	2	5	10	15	22	30
f. Impact resistance (5J)	Pass = P / Fail or not performed = No mark					

Summary of the main changes vs EN 388:2003

- **Abrasion:** new abrasion paper will be used on the testing
- **Impact:** a new test method (fail: F or pass for areas claiming impact protection)
- **Cut:** new EN ISO 13997, also known as TDM-100 test method. Cut test will be graded with letter A to F for cut resistant glove
- **A new marking** with 6 performance levels

Why a new cut test method?

The Coup Test runs into problems when testing materials such as high-performance fabrics based on materials glass fibre or stainless steel, all of which have a dulling effect on the blade. Consequently, the test can yield an inaccurate result, providing a cut level that is misleading as a truly indicative of the real cut resistance of the fabric. The TDM-100 test method is designed to better simulate real-world situations such as an accidental cut or slash. For materials that are shown to dull the blade during an initial test sequence in the Coup Test, the new EN388:2016, will state EN ISO 13997 score. From level A to level F.

ISO 13997
RISK SEGMENTATION

Wonder Grip expects that hand protection will fall into one of four categories according to the ISO test for cut performance:

A. Very low risk. Multipurpose gloves.

B. Low to medium cut risk. Most common applications in industries requiring medium cut resistance.

C. Medium to High cut risk. Gloves suitable for specifics applications requiring medium to high cut resistance.

D. High risk. Gloves suitable for very specifics applications requiring high cut resistance.

E & F. Specific applications and very high risk. Very high risk and high exposure applications that demand ultra-high cut resistances.



EN 511:2006
PROTECTION AGAINST COLD

This standard measures how well the glove can withstand both convective cold and contact cold. In addition, water permeation is tested after 30 minutes.

The performance levels are indicated with a number from 1 to 4 next to the pictogram, where 4 is the highest level.

PERFORMANCE LEVEL

A. **Protection against convective cold** (0 to 4)

B. **Protection against contact cold** (0 to 4)

C. **Water impermeability** (0 or 1)

"0": level 1 was not reached
"X": test was not performed



EN 407:2020
PROTECTION AGAINST HEAT

This standard regulates the minimum requirements and specific test methods for safety gloves in relation to thermal risks.

The performance levels are indicated with a number from 1 to 4 next to the pictogram, where 4 is the highest level.

PERFORMANCE LEVEL

A. **Resistance to flammability** (in seconds) (0 to 4)

B. **Resistance to contact heat** (0 to 4)

C. **Resistance to convective heat** (0 to 4)

D. **Resistance to radiant heat** (0 to 4)

E. **Resistance to small splashes of molten metal** (0 to 4)

F. **Resistance to large splashes of molten metal** (0 to 4)

"0": level 1 was not reached
"X": test was not performed



EN 374-1:2016
CHEMICAL PROTECTION

Chemicals can cause seriously harm for both the personal health and the environment. Two chemicals, each with known properties, can cause unexpected effects when they are mixed. This standard gives directives of how to test degradation and permeation for 18 chemicals but doesn't reflect the actual duration of protection in the workplace and the differences between mixtures and pure chemicals.

Penetration

Chemicals can penetrate through holes and other defects in the glove material. To be approved as a chemical protection glove, the glove shall not leak water or air when tested according to penetration, EN374-2:2014.

Degradation

The glove material might be negatively affected by chemical contact.Degradation shall be determined according to EN374-4:2013 for each chemical. The degradation result, in percentage (%), shall be reported in the user instruction.

Permeation

The chemicals break through the glove material at a molecular level. The breakthrough time is here evaluated and the glove must withstand a breakthrough time of at least:

- **Type A – 30 minutes** (level 2) against minimum 6 test chemicals
- **Type B – 30 minutes** (level 2) against minimum 3 test chemicals
- **Type C – 10 minutes** (level 1) against minimum 1 test chemical

CODE	Chemical	Cas No.	Class
A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon
E	Carbon disulphide	75-15-0	Sulphur containing organic coumpund
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compound
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated hydrocarbon
K	Sodium hydroxide 40%	1310-73-2	Inorganic base
L	Sulphuric acid 96%	7664-93-9	Inorganic mineral acid, oxidizing
M	Nitric acid 65%	7697-37-2	Inorganic mineral acid, oxidizing
N	Acetic acid 99%	64-19-7	Organic acid
O	Ammonium Hydroxide 25%	1336-21-6	Organic base
P	Hydrogen peroxide 30%	7722-84-1	Peroxide
S	Hydrofluoric acid 40%	7664-39-3	Inorganic mineral acid
T	Formaldehyde 37%	50-00-0	Aldehyde



EN 374-5:2016
CHEMICAL PROTECTION

EN 375-5:2016 : terminology and performance requirements for micro-organisms risks.

This standard defines the requirement for protective gloves against microbiological agents. For bacteria and fungi, a penetration test is required following the method described in EN 374-2:2014: air-leak and water-leak tests.

For protection against viruses, compliance to ISO 16604:2004 (method B) standard is necessary. This leads to new marking on the packaging for gloves protecting against bacteria and fungi, and for gloves protecting against bacteria, fungi and viruses.

OUR TECHNOLOGIES

Wonder Grip's DNA : research, development and innovation

Wonder Grip organises its research and development activities around three key themes: coating mixes, weaving techniques and mould ergonomics. In recent years, Wonder Grip has actively adopted a systematic patent application approach, in order to guarantee the authenticity of its products' unique characteristics and their associated technologies.

WONDER GRIP TECHNOLOGY™

This technology consists of creating specific asperities on the coated surface of the glove, hence reproducing the sucking effect of a force cup. This specifically designed augmented grip technology offers the user considerably increased grip equally in damp, dry or oily conditions. In other words, Wonder Grip Technology™ reduces the force required to move objects and considerably increases grip control of all objects, in both dry or slippery environments.

Results of tests conducted by BOKEN Japan, an independent materials test and control agency, demonstrated an increase in the friction coefficient, i.e. prehension force or grip, of 58%* for Wonder Grip Technology™ latex coatings, and of 36% for Wonder Grip Technology™ nitrile coatings.



DUALINER™

At Wonder Grip, the definition of comfort goes beyond the feeling of physical ease. We strive to develop unique hand protection solutions providing to the users a condition of well-being, contentment and security.

Based on this concept, Wonder Grip developed a new series of liners designed to reduce nervous and muscular fatigue aiming to prevent musculoskeletal disorders.

The upper part of the liner is made of fibres whose technical characteristics guarantee real feeling of second skin and ensure free movement. The lower part of the liner is made of nylon and reinforced by a unique support developed by our R&D department. It goes up to the middle of the hand to ensure a snug and secure fit preventing the inflammation of joints and tendons.



SZNT™ SUB-ZERO NITRILE TECHNOLOGY

Contrary to standard nitrile formula, Wonder Grip's in-house engineered Sub-Zero Nitrile Technology is specially formulated to remain flexible in below freezing environment, so gloves will not stiffen, crack, or lose their industrial oil-resistant properties.

SZNT™ stay flexible and grippy in extreme cold environment, down to -20C.



TPDT™ THERMO-SET PRE-CURVED DESIGN TECHNOLOGY

All our gloves are produced via our TPDT™ technology. Placed inside a mould that reproduces the natural shape of a hand at rest during soaking, our gloves are also washed and dried via a method specifically developed by our in-house engineers. This method offers our users freedom of movement and the increased sensitivity that has earned Wonder Grip its international reputation.



360INTEGRA™

Wonder Grip® 360Integra™ coating represents a breakthrough in hand protection by seamlessly integrating three crucial elements: well-being, ecofriendliness, and workplace safety. It goes beyond the conventional dichotomy of choosing one over the other.

With meticulous development, Wonder Grip® 360Integra™ harmoniously combines all three, ensuring not only the wearer's safety but also their overall well-being while minimizing environmental impact. Meticulously developed with a 360-degree approach Wonder Grip® 360Integra™ is free from harmful chemical or pollutants, ensuring the safety and health of users while also considerably reducing the environmental footprint, contributing to a healthier planet for future generations . From a technical standpoint, Wonder Grip® 360Integra™ offers both mechanical and liquid protection, providing exceptional dexterity and superior abrasion resistance, resulting in a prolonged lifespan.

Wonder Grip® 360Integra™: where hand protection evolves to embrace safety, well-being, and sustainability.

WONDER GRIP PERFORMANCE™

In house engineered, Wonder Grip Performance™ has been developed to answer today's complex and changing working environment.

The Wonder Grip Performance™ formula properties, have allowed the development of a remarkable thin and smooth protective coating providing exceptional levels of sensitivity and dexterity at fingertips. Wonder Grip Performance™ special blended NBR coating is also free of latex and silicon. As a result, users will benefit an outstanding flexibility, high level of tactility and uncompromising control during tasks in dry environment.



HDML™ HIGH DENSITY MOLECULAR LATEX

Wonder Grip released a new generation of latex coating. HDML™ formula results of a delicate process of combining specific substances in order to obtain a higher molar concentration compare to formal concentration of standard latex.This new coating inherently combines effective high-friction coefficient, excellent wear resistance properties and the high less fatiguing grip performance in its segment.



XTENDED PERFORMANCES XP! ™

Our PU coating does not derogate to Wonder Grip' quality charter. Xtended performances XP! Smooth coating offers excellent flexibility, uncompromising anti-wear properties and a superb grip in dry environment.



TOUCH SCREEN

Wonder Grip enhanced its coating to answer today's digital working environment. Users stay protected and freely can use any devices with gloves on.



BEE-SERIES™

Latest innovation from Wonder Grip, Bee-series™ encapsulate a full set of technologies offering a yet to be seen experience.

Our team of researchers pioneered a new knitting technique, inspired by the geometrical shape of honeycombs. This shape uses the least amount of material to hold the most weight.

Based on the same concept, liners knitted with Bee-series™ technique, can handle a lot of torque force while offering twice the breathability* versus standard knitting, thanks to its double knitting technique. Bee-series™ liners are ultra lightweight and also the first knitting technique enhancing the grip due to its shape on the palm.

**diameter 10mm 300pa 2857.6mm/s vs1503.6mm/s*




Tsunooga®

To knit the support for each of our gloves, fibres are selected according to highly specific criteria. This is the case of Tsunooga™ polyethylene, the fibre we have chosen to knit our cut-resistant gloves from.

It is produced by the Japanese firm Toyobo. This fibre is not only extremely resistant, offering excellent anti-cut properties, but it is also ideal for manufacturing soft and comfortably textured gloves. No solvents are used to produce this fibre, hence rendering it more hygienic and healthier to use than other polyethylene fibres. Tsunooga™ fibre also boasts specific high thermal conductivity properties, which enable it to absorb and distribute natural body heat. The incorporation of this fibre enables us to produce gloves that offer a feeling of freshness on the skin.

PRECISION WORK









OP-1300B
OPTY™

The Wonder Grip® OP-1300B Opty™ is our ultra-thin PU coated general handling type glove. Our Xtended Performances XP! ™ dipping offers an unparalleled thin and smooth protective coating, offering yet to seen levels of comfort and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, while delivering a secure grip.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
DIY, Airports and ports, Warehousing-packing-and-logistics, Assembly, Automotive, Mechanical industry, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Nylon

Packaging
- 240 pairs / box
- 12 pairs / polybag

OP-1300G
OPTY™

The Wonder Grip® OP-1300G Opty™ is our ultra-thin PU coated general handling type glove. Our Xtended Performances XP! ™ dipping offers an unparalleled thin and smooth protective coating, offering yet to seen levels of comfort and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, while delivering a secure grip.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
DIY, Airports and ports, Warehousing-packing-and-logistics, Assembly, Automotive, Mechanical industry, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Nylon

Packaging
- 240 pairs / box
- 12 pairs / polybag

OP-1300WB
OPTY™

The Wonder Grip® OP-1300WB Opty™ is our ultra-thin PU coated general handling type glove. Our Xtended Performances XP! ™ dipping offers an unparalleled thin and smooth protective coating, offering yet to seen levels of comfort and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, while delivering a secure grip.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
DIY, Airports and ports, Warehousing-packing-and-logistics, Assembly, Automotive, Mechanical industry, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Nylon

Packaging
- 240 pairs / box
- 12 pairs / polybag







OP-1810
OPTY™

The Opty™ OP-1810 addresses an increasing demand for a solution that combines bare hand-like dexterity for outstanding tactility and agility, with touchscreen compatibility for better comfort at work. Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip. Breathability guaranteed thanks to the ventilated back of the glove: keep users' hands dry.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
DIY, Airports and ports, Warehousing-packing-and-logistics, Assembly, Automotive, Mechanical industry, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Nylon

Packaging
- 240 pairs / box
- 12 pairs / polybag

WG-1855HO
U-FEEL

The Wonder Grip® WG-1855HO U-Feel is a glove with a single nitrile coating constructed on a 18-gauge polyester and spandex liner. Our Wonder Grip Performance™ dipping offers an outstanding thin and smooth protective coating, delivering incomparable levels of sensitivity and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, providing an exceptional level of comfort and precision ideal glove for precision tasks.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
Assembly, Public authorities, Electronics, Aerospace, DIY, Automotive, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Polyester, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-1855HY
U-FEEL

The Wonder Grip® WG-1855HY U-Feel is a glove with a single nitrile coating constructed on a 18-gauge polyester and spandex liner. Our Wonder Grip Performance ™ dipping offers an outstanding thin and smooth protective coating, delivering incomparable levels of sensitivity and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, providing an exceptional level of comfort and precision ideal glove for precision tasks.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
Assembly, Public authorities, Electronics, Aerospace, DIY, Automotive, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Polyester, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016

41121X

CE UKCA

WG-1857W
NEO

The Wonder Grip® WG-1857W Neo is a single nitrile coated glove, constructed on an 18-gauge extra fine nylon and spandex liner. Thanks to Wonder Grip Technology™, the nitrile coating provides users grip and resistance in dry and slightly oily environments.Incredibly thin and light, bringing the feeling of second skin, WG-1857W offers an unrivaled level of comfort, precision and an exceptional softness. This is the ideal glove for precision tasks.

TYPE OF PROTECTION
General purpose

APPLICATION
Assembly, Aerospace, DIY, Electronics, Warehousing-packing-and-logistics, Public authorities

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Nylon, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016

2131X

CE UKCA

WG-355
DUAL

The Wonder Grip® WG-355 Dual is based on our an innovative DuaLiner™: the nylon knit wrist goes up to the middle of the hand to ensure a snug and secure fit, while the breathable microfibre knit liner for the knuckles and fingers provides excellent dexterity, softness and fingertip precision. The single latex coating of WG-355 Dual helps to maintain excellent grip in a wide variety of applications, helping you overcome work challenges with precision, every day.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Electronics, Aerospace, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 15
- Nylon, Microfiber

Packaging
- 144 pairs / box
- 12 pairs / polybag



GENERAL HANDLING



OP-650
OPTY™

The Wonder Grip® OP-650 Opty™ is our ultra- lightweight palm-coated nitrile glove developed for assembling and handling work. OP-650's robust nitrile coating ensures a total protection against liquid such as industrial oils, while providing finger dexterity.

NORMS

EN388: 2016
4121X
CE UKCA

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Automotive, Warehousing-packing-and-logistics, Construction-and-public-works, Assembly

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag



OP-650B
OPTY™

The Wonder Grip® OP-650B Opty™ is our ultra- lightweight palm-coated nitrile glove developed for assembling and handling work. OP-650B's robust nitrile coating ensures a total protection against liquid such as industrial oils, while providing finger dexterity.

NORMS

EN388: 2016
4121X
CE UKCA

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Automotive, Warehousing-packing-and-logistics, Construction-and-public-works, Assembly

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag







OP-650R
OPTY™

The Wonder Grip® OP-650R Opty™ is our ultra- lightweight palm-coated nitrile glove developed for assembling and handling work. OP-650R's robust nitrile coating ensures a total protection against liquid such as industrial oils, while providing finger dexterity.

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Automotive, Warehousing-packing-and-logistics, Construction-and-public-works, Assembly

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag

WG-1855HOS
U-FEEL SPE

The Wonder Grip® WG-1855HOS U-Feel Spe is a glove with a single nitrile coating constructed on a 18-gauge polyester and spandex liner. Our Wonder Grip Performance™ dipping offers an outstanding thin and smooth protective coating, delivering incomparable levels of sensitivity and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, providing an exceptional level of comfort and precision ideal glove for precision tasks. Now available with unique micro dots on the palm for enhanced anti-wear resistance properties and grip performance.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
Assembly, Public authorities, Electronics, Aerospace, DIY, Automotive, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Polyester, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-1855HYS
U-FEEL SPE

The Wonder Grip® WG-1855HYS U-Feel Spe is a glove with a single nitrile coating constructed on a 18-gauge polyester and spandex liner. Our Wonder Grip Performance ™ dipping offers an outstanding thin and smooth protective coating, delivering incomparable levels of sensitivity and dexterity at your fingertips. Incredibly thin and soft, it gives users a second skin feeling, providing an exceptional level of comfort and precision ideal glove for precision tasks. Now available with unique micro dots on the palm for enhanced anti-wear resistance properties and grip performance.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
Assembly, Public authorities, Electronics, Aerospace, DIY, Automotive, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Polyester, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag







WG-300 COMFORT LITE

The Wonder Grip® WG-300 Comfort Lite is our high-quality entry-level product for the latex range. With a single latex coating on a 15-gauge nylon and polyester base, WG-300 Comfort Lite offers great elasticity making hand movements easier, increasing the dexterity needed when performing precise tasks.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Electronics, Aerospace, Warehousing-packing-and-logistics, DIY, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 15
- Polyester, Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-310HO COMFORT

The Wonder Grip® WG-310HO Comfort is a glove with a double latex coating constructed on a 13-gauge polyester liner. Thanks to Wonder Grip Technology™, the coating provides users grip and resistance in dry and slightly wet environments. WG-310HO Comfort offers a high level of comfort and sensitivity making this glove the must-have solution for performing specific tasks in a dry or wet environment. Double coating improves abrasion resistance for longer life.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Electronics, Aerospace, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-310HY COMFORT

The Wonder Grip® WG-310HY Comfort is a glove with a double latex coating constructed on a 13-gauge polyester liner. Thanks to Wonder Grip Technology™, the coating provides users grip and resistance in dry and slightly wet environments. WG-310HY Comfort offers a high level of comfort and sensitivity making this glove the must-have solution for performing specific tasks in a dry or wet environment. Double coating improves abrasion resistance for longer life.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Electronics, Aerospace, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-310R
COMFORT

The Wonder Grip® WG-310R Comfort is a glove with a double latex coating constructed on a 13-gauge polyester liner. Thanks to Wonder Grip Technology™, the coating provides users grip and resistance in dry and slightly wet environments. WG-310R Comfort offers a high level of comfort and sensitivity making this glove the must-have solution for performing specific tasks in a dry or wet environment. Double coating improves abrasion resistance for longer life.

NORMS

EN388: 2016 2131X

CE UKCA

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Electronics, Aerospace, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-360R
COMFORT ADVANCE

The Wonder Grip® WG-360R Comfort Advance combined our brand new ultra-thin and stretchable liner, with Wonder Grip Technology™, latex coating, delivering to its wearer, excellent grip performance and refined mobility. Anatomically engineered with our proprietary TPDT™ technology, our WG-360R guarantees improved suppleness, reduced hand fatigue and enhance hand movement for best comfort during long period of use. WG-360R Comfort Advance is the must-have solution for performing precision tasks in a dry or wet environment.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Aerospace, Electronics, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

NORMS

EN388: 2016 2131X

CE UKCA



NORMS

EN388: 2016

2131X

CE UKCA

WG-360V
COMFORT ADVANCE

The Wonder Grip® WG-360V Comfort Advance combined our brand new ultra-thin and stretchable liner, with Wonder Grip Technology™, latex coating, delivering to its wearer, excellent grip performance and refined mobility. Anatomically engineered with our proprietary TPDT™ technology, our WG-360V guarantees improved suppleness, reduced hand fatigue and enhance hand movement for best comfort during long period of use. WG-360V Comfort Advance is the must-have solution for performing precision tasks in a dry or wet environment.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Aerospace, Electronics, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016

2131X

CE UKCA

WG-360YG
COMFORT ADVANCE

The Wonder Grip® WG-360YG Comfort Advance combined our brand new ultra-thin and stretchable liner, with Wonder Grip Technology™, latex coating, delivering to its wearer, excellent grip performance and refined mobility. Anatomically engineered with our proprietary TPDT™ technology, our WG-360YG guarantees improved suppleness, reduced hand fatigue and enhance hand movement for best comfort during long period of use. WG-360YG Comfort Advance is the must-have solution for performing precision tasks in a dry or wet environment.

TYPE OF PROTECTION
General purpose

APPLICATION
Construction-and-public-works, Aerospace, Electronics, DIY, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-422
BEE-SMART

The Wonder Grip® WG-422 Bee-Smart encapsulates our brand-new Bee-series™ knitting technique and our new generation of latex in-house developed, the HDML™ coating. The upper part of the gloves is made of an ultra lightweight liner offering both high resistance to torsion and unmatched breathability. Bee-series™ knitting technique creates a unique shape on the palm maximizing the coefficient of friction delivered by the coating itself. The low part of the glove benefits from the DuaLiner™ technology and its special support on the back of hand ensuring a snug and secure fit. WG-422 Bee-Smart sets a new standard for comfort at work, and become the ultimate glove for general handling work.

NORMS

EN388: 2016 — 3131X
EN407: 2020 — X1XXXX
CE UKCA

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
Construction-and-public-works, Warehousing-packing-and-logistics, DIY, Assembly

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag





NORMS
EN388: 2016 — 4131X
CE UKCA

WG-500B
FLEX

The Wonder Grip® WG-500B Flex is a glove with a single nitrile coating constructed around a 13-gauge nylon liner. The economical solution, that benefits from Wonder Grip Technology™ nitrile coating brings an exceptional grip and comfort for tasks such as parts assembly and warehouse handling. The WG-500B Flex is an excellent choice for a general-purpose glove that performs well in wet, slightly oily and dry conditions.

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Assembly, Automotive, Mechanical industry, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag







WG-500R
FLEX

The Wonder Grip® WG-500R Flex is a glove with a single nitrile coating constructed around a 13-gauge nylon liner. The economical solution, that benefits from Wonder™ nitrile micro foam coating technology, brings an exceptional grip and comfort for tasks such as parts assembly and warehouse handling. The WG-500R Flex is an excellent choice for a general-purpose glove that performs well in wet, slightly oily and dry conditions.

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Automotive, Mechanical industry, Warehousing-packing-and-logistics, Assembly, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-505
FIT

The Wonder Grip® WG-505 Fit is a robust and flexible general handling glove. Engineered to offer the optimal level of dexterity comfort and grip WG-505 is a great choice for a multi purpose glove offering all-around performance in dry wet and oily applications.

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Warehousing-packing-and-logistics, DIY

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-507
FITS

The Wonder Grip® WG-507 Fits, with the original Wonder Grip Technology™ nitrile coating, is single dipped and engineered with a 13-gauge polyester liner. Wonder Grip Technology™ allows a controlled grip in dry, wet and oily environment. WG-507 Fits is an excellent entry level protective glove, and will be a perfect fit for a wide range of application Moreover, this protection, focusing on comfort prevents hand fatigue and increase efficiency at work.

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Warehousing-packing-and-logistics, DIY

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag







WG-522B BEE-TOUGH

The Wonder Grip® WG-522B Bee-Tough combines Bee-series™ knitting technique and a nitrile coating providing oil-resistance and an optimal long-lasting grip. The upper part of the gloves is made of an ultra-lightweight liner offering both high resistance to torsion and unmatched breathability. Bee-series™ knitting technique create a unique shape on the palm maximizing the coefficient of friction delivered by the coating itself. The low part of the glove benefit from the DuaLiner™ technology and its special support on the back of hand ensuring a snug and secure fit. Features with Bee-series™, DuaLiner™ and a nitrile coating, WG-522B Bee-Tough sets a new standard for comfort at work, in greasy and oily environment.

TYPE OF PROTECTION
Heat resistance, General purpose

APPLICATION
Warehousing-packing-and-logistics, Assembly, Construction-and-public-works

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-522W BEE-TOUGH

The Wonder Grip® WG-522W Bee-Tough combines Bee-series™ knitting technique and a nitrile coating providing oil-resistance and an optimal long-lasting grip. The upper part of the gloves is made of an ultralightweight liner offering both high resistance to torsion and unmatched breathability. Bee-series™ knitting technique create a unique shape on the palm maximizing the coefficient of friction delivered by the coating itself. The low part of the glove benefit from the DuaLiner™ technology and its special support on the back of hand ensuring a snug and secure fit. Features with Bee-series™, DuaLiner™ and a nitrile coating, WG-522W Bee-Tough sets a new standard for comfort at work, in greasy and oily environment.

TYPE OF PROTECTION
General purpose, Heat resistance

APPLICATION
Warehousing-packing-and-logistics, Assembly, Construction-and-public-works

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag

WG-540S AIR-S

The Wonder Grip® WG-540S Air-S is a glove with a single nitrile coating constructed on seamless, breathable and high stretch 15-gauge liner. Wonder Grip Technology™ foam nitrile ensure an outstanding grip, comfort and an all-around breathability, reducing perspiration and skin irritation. WG-540S offers unsurpassed comfort and tactile sensitivity for precision handling of small parts or fasteners in slightly wet and dry environments.

TYPE OF PROTECTION
General purpose

APPLICATION
Assembly, Automotive, Warehousing-packing-and-logistics, Aerospace

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 15
- Polyester, Nylon, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-550
AIR LITE

The Wonder Grip® WG-550 Air Lite is a single nitrile coating on a 15-gauge nylon and polyester liner. WG-550 Air Lite offers great elasticity, making hand movements easier, hence increasing the dexterity needed when performing precision tasks. The improved coating and liner are designed to give the greatest breathability and make it the most comfortable glove to wear for prolonged periods.

TYPE OF PROTECTION
General purpose

APPLICATION
Mechanical industry, Aerospace, Assembly, Automotive, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 15
- Polyester, Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-555
DUO

The Wonder Grip® WG-555 Duo is based on our innovative DuaLiner™: the nylon knit wrist goes up to the middle of the hand to ensure a snug and secure fit, while the breathable microfiber knit liner for the knuckles and fingers provides excellent dexterity, softness and fingertip precision. WG-555 Duo's breathable foam nitrile coating contributes towards keeping your hands dry and maintains a great grip in a wide variety of applications, helping you overcome work challenges every day.

TYPE OF PROTECTION
General purpose

APPLICATION
Mechanical industry, Aerospace, Assembly, Automotive, Warehousing-packing-and-logistics, Food industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 15
- Nylon, Microfiber

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-260G
TERRA TOUCH

The Wonder Grip® WG-260G Terra Touch is meticulously crafted from 46% superior recyclable polyester, delivering optimal comfort, secure and fit. Endorsed by Global Recycled Standard, each pair of the WG-260G embodies sustainability, repurposing the equivalent of 2 PET bottles. By choosing the WG-260G Terra Touch, you are investing in premium hand protection and a more sustainable future. Quality, safety and sustainability, literally at your fingertips: make a difference, one glove at a time.

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Waste management, Construction-and-public-works

INFORMATIONS


Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Spandex, Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag

NEW

HEAVY DUTY





WG-333
ROCK & STONE

The Wonder Grip® WG-333 Rock & Stone is a glove with a double latex coating constructed on a 10-gauge cotton and polyester liner. HDML™ coating specially developed by Wonder Grip® offers a non-slip surface for an outstanding grip.
This unique product, specially designed for heavy work, combines:
- Triple resistance: heat, cold, cut (level B ISO 13997)
- Robust protection
- Non-slip surface for exceptional grip

NORMS

EN388: 2016	EN511: 2006	EN407: 2020
3X42B	X1X	X2XXXX

CE UKCA

TYPE OF PROTECTION
General purpose, Cut resistance, Cold resistance, Heat resistance

APPLICATION
Agriculture, Construction-and-public-works, Public authorities, DIY, Mining industry

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 10
- Cotton, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-333+
ROCK & STONE+

The Wonder Grip® WG-333+ Rock & Stone+ is a glove with a double latex coating constructed on a 10-gauge cotton and polyester liner. HDML™ coating specially developed by Wonder Grip® offers a non-slip surface for an outstanding grip. This unique product, specially designed for heavy work, combines:
- Triple resistance: heat, cold, cut (level B ISO 13997)
- Robust protection
- Non-slip surface for exceptional grip

This ¾ back coated glove is the perfect solution for users seeking a glove able to protect the hands from cuts and keeping them dry in humid environments.

NORMS

EN388: 2016	EN511: 2006	EN407: 2020
3X42B	X1X	X2XXXX

CE UKCA

TYPE OF PROTECTION
General purpose, Cut resistance, Cold resistance, Heat resistance

APPLICATION
Agriculture, Construction-and-public-works, Public authorities, DIY

INFORMATIONS

Coating
- Material: Latex
- Level: 3/4 back-coated
- Double Layer

Support
- Gauge: 10
- Cotton, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 — 3131X

EN407: 2020 — X2XXXX

CE UK CA

OP-220R
OPTY™

The Wonder Grip® Opty™ OP-220R is constructed on technical, thick yet ultra-strechable liner with our robust premium latex coating providing a durable and mechanically enhance grip, delivering advanced anti-wear properties. The thicker liner on the palmer side of the hand, enhance protection, preventing shocks injuries whilst offering great dexterity at the fingertips.

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Assembly, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 — 2131X

CE UK CA

OP-255
OPTY™

The Wonder Grip® Opty™ OP-255 is constructed on a technical, soft and ultra-strechable liner with our robust premium latex coating for grip and anti-wear properties. The liner thicker on the palmer side of the hand, enhance protection preventing shocks injuries whilst offering great dexterity at fingertips. OP-255 benefits from the DuaLiner™ technology and its special support on the back of hand ensuring a snug and secure fit for optimal comfort for continuous comfort over long periods of use.

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 15
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag



OP-280HY
OPTY™

The Wonder Grip® OP-280HY Opty™ is our super-thin latex coating general handling type glove. Flexible and robust it also offers great dexterity, improved comfort and outstanding grip in wet and dry conditions. OP-280HY is constructed on a 13-gauge hi-visibility yellow polyester to keep the user hands visible and be safer on the job. Seamless and breathable on the back of the hand, it reduces perspiration and skin irritation. OP-280HY provides an excellent natural fit, for continuous comfort over long periods of use. The Wonder Grip premium latex coating improves abrasion resistance for a longer lifespan.

NORMS

EN388: 2016
2131X

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Assembly, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag



OP-280RR
OPTY™

The Wonder Grip® OP-280RR Opty™ is our super-thin latex coating general handling type glove. Flexible and robust it also offers great dexterity, improved comfort and outstanding grip in wet and dry conditions. OP-280RR is constructed on a 13-gauge red polyester to keep the user hands visible and be safer on the job. Seamless and breathable on the back of the hand, it reduces perspiration and skin irritation. OP-280RR provides an excellent natural fit, for continuous comfort over long periods of use. The Wonder Grip premium latex coating improves abrasion resistance for a longer lifespan.

NORMS

EN388: 2016
2131X

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Assembly, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag

NEW



Tsunooga®

NORMS

EN407: 2004 X1XXXX | EN 388: 2016 4X43EP | ANSI A4 CUT

WG-28FP
IRONELITE

The Wonder Grip® WG-28FP IronElite stands as a formidable 30cm gauntlet glove, meticulously crafted to thrive in the most challenging of work environments. Constructed using the high-end japanese yarn Tsuunoga® the WG-28FP offers cut protection level E, paired with a triple-layered nitrile, ensuring exceptional abrasion protection and powerful grip. The TPR-enhanced back offers protection against impacts, complemented by a cushioned palm for ultimate comfort and shock absorption. Engineered for the harshest work environments, the Wonder Grip® WG-28FP IronElite, with its unparalleled protection against cuts, industrial oils, shocks, and heat, offers the ultimate hand protection solution, ensuring the toughest tasks are tackled with utmost confidence.

TYPE OF PROTECTION
Cut resistance, Liquids, Industrial oils

APPLICATION
Glass, Oil-and-Gas, Mining industry, Mechanical industry, Metallurgy, Automotive, Public authorities

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated
- Triple Layer

Support
- Gauge: 15
- Spandex, Mineral fiber, HPPE, UHMWPE : Tsunooga™

Packaging
- 72 pairs / box
- 12 pairs / polybag

NEW



NORMS

EN407: 2004 X1XXXX | EN 388: 2016 4121XP

WG-18FP
IRONGUARD

The Wonder Grip® WG-18FP IronGuard is a double nitrile fully coated glove, constructed on a 15-gauge nylon liner. Thanks to Wonder Grip Technology™, the coating brings an exceptional grip and strength in dry or wet environments. This double nitrile coating combined with Wonder Grip Technology ™ ensures an outstanding protection when the user is working with wet, greasy or oily elements. Wonder Grip® WG-18FP features on the back of the hand, a thermo-plastic rubber (TPR) reinforcement, providing knuckles and back-of-hand protection, while also offering the comfort, freedom of movement and an everlasting grip that has earned Wonder Grip® its international reputation. Wonder Grip® WG-18FP IronGuard is crafted for rigorous tasks in oily and greasy settings with persistent liquid encounters, necessitating liquid-proof capabilities, unwavering grip, and protection against impacts, ideal for waste management and offshore operations.

TYPE OF PROTECTION
Liquids, Industrial oils

APPLICATION
Oil-and-Gas, Mining industry, Waste management, Metallurgy

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Nylon

Packaging
- 72 pairs / box
- 12 pairs / polybag

NEW



WG-88FP
IRONPRO

The Wonder Grip® WG-88FP IronPro is a single nitrile coated glove, in a 13-gauge Tsunooga™ high performance polyethylene fibres liner providing high cut resistance (ISO 13997 grade D), while offering unrivalled flexibility and unparalleled comfort. WG-88FP features on the back of the hand, a thermo-plastic rubber (TPR) reinforcement, providing knuckles and back-of-hand protection, while also offering the comfort, freedom of movement and an everlasting grip that has earned Wonder Grip® its international reputation. The Wonder Grip® WG-88FP IronPro is the choice of professionals seeking for an innovative cut-resistant glove combining additional impact protection, ergonomic performance and unrivalled gripping power in dry, slightly wet or oily conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance

APPLICATION
Glass, Warehousing-packing-and-logistics, Automotive, Metallurgy, Assembly

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Spandex, Mineral fiber, HPPE, Polyester, UHMWPE : Tsunooga™

Packaging
- 72 pairs / box
- 12 pairs / polybag

NEW



WG-33FP
IRONSHIELD

The Wonder Grip® WG-33FP IronShield is a glove with a double latex coating constructed on a 10-gauge cotton and polyester liner. Wonder Grip® HDML™ coating inherently combines effective high-friction coefficient, excellent wear resistance properties and the high less fatiguing grip performance in its segment. Wonder Grip® WG-33FP features on the back of the hand, a thermo-plastic rubber (TPR) reinforcement, providing knuckles and back-of-hand protection, while also offering the comfort, freedom of movement and an everlasting grip that has earned Wonder Grip® its international reputation. Wonder Grip® WG-33FP IronShield is specially designed for heavy work , offering its wearer an impressive set of protections: Heat, Cold, Cut and Impact.

TYPE OF PROTECTION
General purpose, Cut resistance, Cold resistance, Heat resistance

APPLICATION
DIY, Mining industry, Agriculture, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 10
- Cotton, Polyester

Packaging
72 pairs / box
12 pairs / polybag



CUT-RESISTANCE



NORMS

EN388: 2016
4X43B

CE UK CA

OP-765
OPTY™

The Wonder Grip® OP-765 Opty™ is the perfect glove for users seeking a solution that combines cut resistance (ISO13997 level B and ANSI A2) and high fingertip sensitivity. Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip. Breathability guaranteed thanks to the ventilated back of the glove: keep users' hands dry.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Automotive, Assembly, Electronics, Mechanical industry, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- HPPE, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



OP-1865
OPTY™

The Wonder Grip® OP-1865 Opty™ addresses an increasing demand for a solution that combines cut resistance (ISO13997 level B and ANSI A2) and high finger dexterity. Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip.
Breathability guaranteed thanks to the ventilated back of the glove: keep users' hands dry.

TYPE OF PROTECTION
Cut resistance, General purpose

APPLICATION
Automotive, Assembly, Warehousing-packing-and-logistics, Electronics, DIY

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Thum-index reinforcement

Support
- Gauge: 18
- Polyester, Spandex, HPPE, Mineral fiber

Packaging
- 144 pairs / box
- 12 pairs / polybag

NORMS

EN388: 2016
4X42B
ANSI A2 CUT
CE UK CA



OP-765L
OPTY™

The Wonder Grip® OP-765 Opty™ is the perfect glove for users seeking a solution that combines cut resistance (ISO13997 level B and ANSI A2) and high fingertip sensitivity. The hands of the users are fully protected thanks to the length (30cm). Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip. Breathability guaranteed thanks to the ventilated back of the glove: keep users' hands dry. Longer life span thanks to thumb crotch.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Assembly, Automotive, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester, Spandex, HPPE

Packaging
- 72 pairs / box
- 12 pairs / polybag



OP-775
OPTY™

The Wonder Grip® OP-775 Opty™ is the perfect glove for users seeking a solution that combines cut resistance (ISO13997 level C and ANSI A3) and abrasion resistance. Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip. Breathability guaranteed thanks to the ventilated back of the glove: keep users' hands dry.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Mechanical industry, Aerospace, Automotive, Glass

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester, HPPE, Mineral fiber, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



OP-775HY
OPTY™

The Wonder Grip® OP-775HY Opty™ offers a smooth fit to the shape of the hand and an uncompromising level of safety for medium cut hazards (ISO13997 level C and ANSI A3). with its flexible cut resistant shell and wonder grip® Xtended Performances XP!™ coating, OP-775HY offer a smooth fit and a solid grip, ideal for working in a dry environment. A good breathability is also guaranteed thanks to the ventilated back of the glove.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Aerospace, Automotive, Glass, Mechanical industry

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester, HPPE, Mineral fiber, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



OP-785
OPTY™

The Wonder Grip® Opty™ OP-785 address medium to heavy cut hazards (ISO13997 level D and ANSI A4) yet delivering a remarkable level of comfort and dexterity. Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip. A good breathability is also guaranteed thanks to the ventilated back of the glove.

NORMS

EN388: 2016 4X43D · ANSI A4 CUT · CE · UK CA

TYPE OF PROTECTION
Cut resistance

APPLICATION
Assembly, Automotive, Warehousing-packing-and-logistics, Metallurgy, Public authorities

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- HPPE, Spandex, Mineral fiber, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 4X43C · ANSI A3 CUT · CE · UK CA

OP-775W
OPTY™

The Wonder Grip® OP-775W Opty™ is the perfect glove for users seeking a solution that combines cut resistance (ISO13997 level C and ANSI A3) and abrasion resistance Ideal for working in a dry environment, the high density polyethylene knit combined with our premium coating Xtended Performances XP!™ offer a smooth fit and a solid grip. Breathability guaranteed thanks to the ventilated back of the glove: keep users' hands dry.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Mechanical industry, Aerospace, Automotive, Glass

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester, HPPE, Mineral fiber, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



OP-795
OPTY™

The Wonder Grip® OP-795 Opty™ is engineered to offer protection against heavy cut hazards (ISO13997 level E and ANSI A5), with no compromise to comfort. With its flexible high-cut resistant shell and the premium coating Xtended Performances XP!™ OP-795 offer a smooth fit and a solid grip in dry environment. A good breathability is also guaranteed thanks to the ventilated back of the glove.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Mechanical industry, Aerospace, Automotive, Glass

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Spandex, Polyester, Mineral fiber, HPPE, TheCross®

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-1875
DEXCUT®

The Wonder Grip® WG-1875 Dexcut® is a single nitrile coated glove, in a 18-gauge, delivering an uncompromising level of safety for medium cut hazards (ISO13997 level C and ANSI A3). The in-house developed shell provides unrevealed comfort and unparalleled flexibility in its category. WG-1875 also benefits from our Wonder Grip Performance™ coating offering heat resistance (EN407:2004 X1XXXX) and a strong grip. WG-1875 is touch screen and smart phone compatible for better working conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Automotive, Assembly, Metallurgy, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Thum-index reinforcement

Support
- Gauge: 18
- Polyester, HPPE, Nylon, Mineral fiber, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-798
DEXCUT®

The Wonder Grip WG-798 Dexcut® is constructed using a proprietary 13-gauge ultra high cut-resistant knit. free of both glass-fiber and stainless steel. In accordance with 1SO13997 and ANSI/ISEA 105 standards. the Wonder Grip WG-798 Dexcut® exhibits excellent cut resistance at level F and AS. Through rigorous research and discerning material choice . Wonder Grip achieves an impeccable balance between superior protection and optimal hand motion, ensuring remarkable dexterity and unmatched comfort for every wearer. Additionally the WG-798 Dexcut® benefits also from the Wonder Grip Technology nitrite coating for a secure grip in dry, slightly damp or oily conditions. The Wonder Grip WG-798 Dexcut® is the preferred choice for professionals seeking forefront hand protection, delivering highest cut resistance while preserving ergonomic comfort. skin-friendly fabric and grip power.

TYPE OF PROTECTION
Cut resistance, Heat resistance

APPLICATION
Glass, Waste management, Public authorities, Railways, Automotive, Metallurgy

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Spandex, Nylon, HPPE, Polyester, UHMWPE

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW










NORMS



WG-633
DEXCUT®

The Wonder Grip® WG-633 Dexcut® is designed for heavy work in dry or slightly greasy environment involving medium cut hazards. HDML™ coating specially developed by Wonder Grip® offers a non-slip surface, exceptional anti-wear properties, ISO13997 Level C, ANSI2016 cut level A3 and a double protection against thermal hazards. The triple set of protection encapsulated in our unique WG-633 makes it the ultimate glove for all-round in semi-dry environments. High-visibility orange to ensure the user's hands are visible and be safer on the job.

TYPE OF PROTECTION
Cut resistance, Cold resistance, Heat resistance

APPLICATION
Waste management, Construction-and-public-works, Metallurgy, Mining industry

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 10
- Spandex, Polyester, TheCross®

Packaging
- 12 pairs / polybag



WG-1885
DEXCUT®

WG-1885 Dexcut® is a single nitrile coated glove, in a 18-gauge, delivering an uncompromising level of safety for medium cut hazards (ISO13997 level D and ANSI A4). The in-house developed shell provides unrevealed comfort and unparalleled suppleness in its category. WG-1885 also benefits from our Wonder Grip Performance™ coating offering heat resistance (EN407:2004 X1XXXX) and a strong grip. WG-1885 is touch screen and smart phone compatible for better working conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Automotive, Assembly, Metallurgy, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Thum-index reinforcement

Support
- Gauge: 18
- Polyester, HPPE, Nylon, Mineral fiber, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag

NORMS



NORMS

EN388: 2016 — 4342C
ANSI A4 CUT
CE UK CA

WG-640
DEXCUT®

The Wonder Grip® WG-640 Dexcut® combines our signature flexibility, dexterity and grip, while offering excellent cut resistance (ISO 13997 grade C). Developed using our proprietary high performance blend of reinforced nylon and mineral fiber, WG-640 Dexcut® is the ideal glove for all your applications requiring medium-level cut resistance in dry, humid and oily environments.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Assembly, Metallurgy, Automotive, Waste management

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Nylon, Mineral fiber

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-640+
DEXCUT®

The Wonder Grip® WG-640+ Dexcut® combines our signature flexibility, dexterity and grip, while offering excellent cut resistance (ISO 13997 grade C). This ¾ nitrile back coated glove is the perfect solution for users seeking a glove able to protect the hands from cuts and keeping them dry in humid or oily environments. Developed using our proprietary high performance blend of reinforced nylon and mineral fibre, WG-640+ Dexcut® is the ideal glove for all applications requiring medium-level cut resistance in dry, humid and oily environments.

TYPE OF PROTECTION
Cut resistance, Industrial oils

APPLICATION
Assembly, Metallurgy, Automotive, Glass, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: 3/4 back-coated
- Single layer

Support
- Gauge: 13
- Nylon, Mineral fiber

Packaging
- 144 pairs / box
- 12 pairs / polybag

NORMS

EN388: 2016 — 4342C
ANSI A4 CUT
CE UK CA







WG-668
DEXCUT®

WG-668 Dexcut® is the perfect glove for users seeking a solution that combines cut resistance (ISO13997 level B and ANSI A2) high fingertip sensitivity and enhanced protection against industrial oil thanks to its longer protective cuff covering the wrist and a part of the forearm. Ideal for working in a greasy to oily environment, our WG-668 premium coating offer exceptional wear-resistance, a better fit and a solid grip ensuring comfort to its wearer even over a long period of use.

TYPE OF PROTECTION
Cut resistance, Industrial oils, Heat resistance, Liquids

APPLICATION
DIY, Oil-and-Gas, Waste management, Construction-and-public-works

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated except wrist
- Single layer

Support
- Gauge: 13
- Mineral fiber, HPPE, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-718
DEXCUT®

The Wonder Grip® WG-718 Dexcut® is a glove with a triple nitrile coating constructed on a 13-gauge knitted spandex, Tsunooga™ high performance polyethylene and mineral fibre liner. The high-performance polyethylene Tsunooga™ fibre offers an excellent cut-resistance (ISO 13997 level D), an outstanding flexibility while leaving a feeling of freshness on the skin. 100% impermeable to industrial oils and liquid, WG-718 is the ideal protection for intensive use in very oily or very humid environments.

TYPE OF PROTECTION
Liquids, Cut resistance, Industrial oils, Heat resistance

APPLICATION
Mechanical industry, Metallurgy, Automotive, Glass, Oil-and-Gas, Waste management, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated except wrist
- Triple layer

Support
- Gauge: 13
- Mineral fiber, UHMWPE : Tsunooga™, HPPE, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag

WG-728L
DEXCUT®

The Wonder Grip® WG-728L Dexcut® is a triple nitrile full coated anti-cut glove using Tsunooga™ high performance polyethylene fibres to provide superior cut resistance (ISO 13997 grade E) while maintaining excellent flexibility and comfort. WG-728L Dexcut® offers unrivalled abrasion resistance and grip. It is the ultimate industrial glove with long sleeves. The liner incorporates spandex in order to add fit, flexibility and comfort.

TYPE OF PROTECTION
Liquids, Cut resistance, Industrial oils

APPLICATION
Mechanical industry, Metallurgy, Automotive, Glass, Oil-and-Gas, Public authorities, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated
- Triple layer

Support
- Gauge: 15
- UHMWPE : Tsunooga™, Mineral fiber, HPPE, Spandex

Packaging
- 72 pairs / box
- 12 pairs / polybag







NORMS

EN388: 2016 — 3X43D
EN511: 2006 — X1X
EN407: 2020 — X2XXXX
ANSI A4 CUT
CE
UK CA

WG-733
DEXCUT®

The Wonder Grip® WG-733 Dexcut® is designed for heavy work in dry or slightly greasy environment involving medium to heavy cut hazards. HDML™ coating specially developed by Wonder Grip® offers a non-slip surface, exceptional anti-wear properties and a double protection against thermal hazards. The comprehensive set of protection encapsulated in our unique WG-733 makes it the ultimate glove for all-round in semi-dry environments.

TYPE OF PROTECTION
Cut resistance, Heat resistance, Cold resistance

APPLICATION
Construction-and-public-works, Metallurgy, Waste management

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 10
- Polyester, Spandex, TheCross®

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-733+
DEXCUT®

The Wonder Grip® WG-733+ Dexcut® is designed for heavy work in dry or slightly greasy environment involving medium to heavy cut hazards. HDML™ coating specially developed by Wonder Grip® offers a non-slip surface, exceptional anti-wear properties and a double protection against thermal hazards. The comprehensive set of protection encapsulated in our unique WG-733+ makes it the ultimate glove for all-round in semi-dry environments.

TYPE OF PROTECTION
Cut resistance, Heat resistance, Cold resistance

APPLICATION
Construction-and-public-works, Metallurgy, Public authorities, Waste management

INFORMATIONS

Coating
- Material: Latex
- Level: 3/4 back-coated
- Double Layer

Support
- Gauge: 10
- Spandex, Polyester, TheCross®

Packaging
- 144 pairs / box
- 12 pairs / polybag

NORMS

EN388: 2016 — 3X43D
EN511: 2006 — X1X
EN407: 2020 — X2XXXX
ANSI A4 CUT
CE
UK CA



WG-748
DEXCUT®

WG-748 Dexcut® is the latest innovation from Wonder Grip® combining the highest level of cut protection according to ISO13997, a double protection against thermal hazards and an oustanding secured grip thanks to our Wonder Grip Technology™. The lightweight, fleece-liner, coated down to the wrist, provides strong water and cold-resistance with exceptional anti-wear properties. WG-748 Dexcut® also delivers a very high protection against cut hazards (ISO13997 lvF) yet offers an impressive comfort thanks to the combinasion of flexible HPPE properties with very high multifilaments wrapping technology. This solution is a unique solution for professionals seeking a glove able to keep the hands dry, warm, while protecting them from contact heat and lacerations, making it the ideal choice for the most challenging outdoor winter jobs.

TYPE OF PROTECTION
Cut resistance, Cold resistance, Heat resistance, Liquids

APPLICATION
Airports and ports, Glass, Waste management, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Acrylic, HPPE, Mineral fiber, Spandex

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-768
DEXCUT®

WG-768 Dexcut® is the latest innovation from Wonder Grip combining a high level of cut and cold-resistance. It is a 3/4 back coated latex winter glove (contact cold performance level 2) constructed on an 13-gauge acrylic liner mixed with HPPE and Spandex. Thanks to the Wonder Grip Technology™ coating, it brings users grip and resistance in dry and watery environments. WG-768 Dexcut® offers a high cut resistance (ISO 13997 grade D) while remaining flexible and waterproof in below freezing conditions. WG-768 Dexcut® is a unique glove for users seeking a glove able to keep the hands warm and dry while protecting them from cuts, making it the ideal choice for outdoor winter work.

TYPE OF PROTECTION
Cut resistance, Cold resistance, Heat resistance, Liquids

APPLICATION
Railways, Agriculture, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- HPPE, Spandex, Mineral fiber, UHMWPE : Tsunooga™

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-780
DEXCUT®

The Wonder Grip® WG-780 Dexcut® is a glove with a single nitrile coating on the palm constructed on a 10-gauge knitted aramid, acrylic, spandex and mineral fiber liner in situations where the thermal risk and the risk of cut are ubiquitous, the WG-780 is the ideal solution. It benefits from our SZNT ™ technology specially developed to guarantee a very good flexibility even in extreme cold conditions -20 °C. Resistant to cutting (EN 388: 2016 level D), it offers users an excellent protection in cold environments (climatic or industrial origin).

TYPE OF PROTECTION
Cut resistance, Cold resistance

APPLICATION
Agriculture, Construction-and-public-works, Public authorities, Metallurgy, Warehousing-packing-and-logistics, Glass

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 10
- Acrylic, Aramid, Mineral fiber, Spandex

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-787
DEXCUT®

The Wonder Grip® WG-787 Dexcut® is a glove with a single nitrile coating constructed on a 13-gauge knitted spandex, high performance polyethylene Tsunooga™ and mineral fibre liner. The high-performance polyethylene Tsunooga™ fiber offers an excellent cut-resistance (ISO 13997 level D), an outstanding flexibility while leaving a feeling of freshness on the skin. Wonder Grip Technology ™ nitrile coating combined with our preformed molds TPDT ™ technology (Thermo-set Pre-Curved Design Technology™) makes WG-787 the perfect solution for excellent ergonomic performance and unrivaled grip in dry, slightly wet or oily conditions. The WG-787 is the choice of professionals seeking for an innovative cut-resistant glove.

TYPE OF PROTECTION
Cut resistance, Heat resistance

APPLICATION
Automotive, Assembly, Metallurgy, Warehousing-packing-and-logistics, Food industry, DIY, Waste management, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Mineral fiber, UHMWPE : Tsunooga™, HPPE, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-787L
DEXCUT®

The Wonder Grip® WG-787L Dexcut® is a single nitrile coated glove, in a 30 cm long 13-gauge HPPE, mineral fiber and spandex liner providing cut resistance (ISO 13997 grade D), while offering unrivaled flexibility and breathability. The hands of the users are fully protected thanks to the length (30cm). WG-787L Dexcut® is made from Tsunooga™ high performance polyethylene fibers to provide superior cut resistance, while maintaining excellent flexibility and comfort, in dry and oily applications. Longer lifespan guaranteed thanks to thumb crotch.

TYPE OF PROTECTION
Cut resistance

APPLICATION
Assembly, Metallurgy, Automotive, Warehousing-packing-and-logistics, Waste management

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Thum-index reinforcement

Support
- Gauge: 13
- Mineral fiber, UHMWPE : Tsunooga™, HPPE, Spandex

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-788
DEXCUT®

The Wonder Grip® WG-788 Dexcut® is a single nitrile coated glove, in a 13-gauge HPPE, mineral fibre and spandex liner providing high cut resistance (ISO 13997 grade D), while offering unrivalled flexibility and unparalleled comfort. WG-788 Dexcut® is made from Tsunooga™ high performance polyethylene fibres to provide superior cut resistance, while maintaining excellent flexibility and comfort. WG-788 also benefits from our Wonder Grip Performance™ coating offering heat resistance (EN407:2004 X1XXXX) and a strong grip. WG-788 is touch screen and smartphone compatible for better working conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance

APPLICATION
Automotive, Metallurgy, Assembly, Warehousing-packing-and-logistics, Glass

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Thum-index reinforcement

Support
- Gauge: 13
- UHMWPE : Tsunooga™, HPPE, Polyester, Mineral fiber, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-795
DEXCUT®

The Wonder Grip® WG-795 Dexcut® is a single nitrile coated glove, in a 13-gauge, delivering extreme cut protection (ISO 13997 grade E - ANSI:2016 grade A5). Free of glass fiber, the in-house engineered yarn combining stainless steel and a unique HPPE fibre provides unrevealed comfort and unparalleled flexibility in its category. WG-795 also benefits from our Wonder Grip Performance™ coating offering heat resistance (EN407:2004 X1XXXX) and a strong grip. WG-795 is touch screen and smartphone compatible for better working conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance

APPLICATION
Assembly, Automotive, Public authorities, Glass, Warehousing-packing-and-logistics, Metallurgy

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Polyester, Spandex, UHMWPE : Tsunooga™, TheCross®

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-733L
DEXCUT®

The Wonder Grip® WG-733L Dexcut® is designed for heavy work in dry or slightly greasy environment involving medium to heavy cut hazards. HDML™ coating specially developed by Wonder Grip® offers a non-slip surface, exceptional anti-wear properties and a double protection against thermal hazards. The comprehensive set of protection encapsulated in our unique WG-733L makes it the ultimate glove for all-round in semi-dry environments. The hands and the forearms of the wearers are now fully protected against high level of cut hazards thanks to extended cuff (30cm).

TYPE OF PROTECTION
Cut resistance, Heat resistance, Cold resistance

APPLICATION
Construction-and-public-works, Metallurgy, Waste management

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 10
- Polyester, Spandex, TheCross®

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-1870
DEXCUT®

The Wonder Grip® WG-1870 Dexcut® is a single latex-coated glove, constructed from 18-gauge thin liner, yet ensuring robust protection against medium cut hazards (ISO13997 level C and ANSI A3). Our in-house engineered shell ensures unmatched comfort and flexibility unchallenged in its class. Furthermore, the WG-1870 Dexcut® benefits from our Wonder Grip Technology™ coating which offers to the user considerably increased grip equally in damp or dry condition. Notably, The Wonder Grip® WG-1870 Dexcut® is touch screen and smartphone compatible, elevating work efficiency.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Warehousing-packing-and-logistics, Assembly, Automotive, Public Authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Spandex Mineral fiber, Nylon, HPPE Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-793IC
DEXCUT®

The Wonder Grip® WG-793IC Dexcut® is developed using a meticulously selected combination of high-cut resistant fibers, aiming to deliver the highest level of protection against cuts, lacerations, and punctures. In accordance with ISO13997 and ANSI/ISEA 105 standards, this glove exhibits excellent cut resistance at level F and A8. Additionally, the WG-793IC Dexcut®offers the highest level of puncture resistance as per EN 388:2016, attaining level 4. Through rigorous research and discerning material choice, Wonder Grip® achieves an impeccable balance between superior protection and optimal hand movement. The WG-793IC padded palm enhances comfort, significantly reducing impacts and vibrations from tool use, ensuring both suppleness and yet-to-seen comfort. In its category, the Wonder Grip® WG-793IC Dexcut® stands out as a unique hand protection solution, tailored with and for professionals tackling heavy-duty tasks with risks of lacerations and punctures.

TYPE OF PROTECTION
Cut resistance, Heat resistance

APPLICATION
Airports and ports, Railways, Waste management, Mining industry, Automotive, Public authorities, Metallurgy, Construction-and-public-works

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single Layer

Support
- Gauge: 13
- Spandex, Nylon, HPPE, Polyester, TheCross®

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-1865
DEXCUT®

The Wonder Grip® WG-1865 Dexcut® is a single nitrile-coated glove with an 18-gauge construction, ensuring a high level of safety for low cut hazards (ISO13997 level B and ANSI A2). The in-house developed shell provides unmatched comfort and flexibility in its category. WG-1865 also benefits from our Wonder Grip Performance™ coating, offering heat resistance (EN407:2004 X1XXXX) and a strong grip. The Wonder Grip® WG-1865 Dexcut® is also touchscreen and smartphone compatible, enhancing working conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Warehousing-packing-and-logistics, Automotive, Assembly, Metallurgy

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 18
- Spandex, Mineral fiber, Nylon, HPPE, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-2187
DEXCUT®

The Wonder Grip® WG-2187 Dexcut® 21G | Twenty-one series delivers exceptional cut protection, with ISO 13997 level D and ANSI cut level 4 , while providing unmatched tactility and suppleness. This glove, hailing from the Dexcut® line, renowned for its state-of-the-art cut-resistant composite yarns, features an ultra-lightweight 21-gauge seamless liner that offers an experience closest to barehanded work without compromising protection. The Wonder Grip Technology™ nitrile coating, combined with our preformed molds using TPDT™ technology (Thermo-set Pre-Curved Design Technology™), makes the The Wonder Grip® WG-2187 Dexcut® 21G | Twenty-one series the perfect solution for unmatched ergonomic performance and unrivaled grip in dry, slightly wet, or oily conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Aerospace, Warehousing-packing-and-logistics, Automotive, Assembly, Electronics, Public authorities

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 21
- Spandex, Nylon, HPPE, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-2180
DEXCUT®

The Wonder Grip® WG-2180 Dexcut® 21G | Twenty-one series delivers exceptional cut protection, with ISO 13997 level D and ANSI cut level 4 , while providing unmatched tactility and suppleness. This glove, hailing from the Dexcut® line, renowned for its state-of-the-art cut-resistant composite yarns, features an ultra-lightweight 21-gauge seamless liner that offers an experience closest to barehanded work without compromising protection. The Wonder Grip Technology™ latex coating, combined with our preformed molds using TPDT™ technology (Thermo-set Pre-Curved Design Technology™), makes the The Wonder Grip® WG-2180 Dexcut® 21G | Twenty-one series the perfect solution for unmatched ergonomic performance and unrivaled grip in dry, slightly wet conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Aerospace, Warehousing-packing-and-logistics, Automotive, Assembly, Electronics, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single Layer

Support
- Gauge: 21
- Spandex, Nylon, HPPE, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-0775W
DEXCUT®

The Wonder Grip® WG-0775W Dexcut® is built on a robust yet thin and flexible cut-resistant liner, providing medium-high cut resistance at level C/A3, all while preserving the exceptional ease of movement that has earned Wonder Grip® its global reputation. The WG-0775W Dexcut® benefits from the Wonder Grip® 360Integra™ coating, seamlessly integrating safety, well-being, and sustainability while offering mechanical and liquid protection for exceptional dexterity and longevity. It is free from chemicals or harmful pollutants, ensuring the safety and health of users while also significantly reducing the environmental footprint, contributing to a healthier planet for future generations. The Wonder Grip® WG-0775W Dexcut® is the perfect glove for users working in dry environments, seeking a solution that combines cut hazard protection, a solid grip, breathability, long-lasting performance, and a commitment to a greener future.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Aerospace, Food industry, Electronics, Assembly, Public authorities, Automotive

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Spandex, Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-1887
DEXCUT®

WG-1887 Dexcut® is a single nitrile coated glove, in a 18-gauge, delivering an uncompromising level of safety for medium cut hazards (ISO13997 level D and ANSI A4). The in-house developed shell provides unrevealed comfort and unparalleled suppleness in its category. WG-1887 which benefits from our Wonder Grip Technology ™ nitrile coating combined with our preformed molds TPDT ™ technology (Thermo-set Pre-Curved Design Technology™), is the perfect solution for excellent ergonomic performance and unrivalled grip in dry, slightly wet or oily conditions.

TYPE OF PROTECTION
Cut resistance, Heat resistance, General purpose

APPLICATION
Automotive, Assembly, Metallurgy, Warehousing-packing-and-logistics

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
Gauge: 18
Spandex, Mineral fiber, Nylon, HPPE, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WATER RESISTANCE





WG-318
AQUA

The Wonder Grip® WG-318 Aqua is a double latex fully coated glove, constructed on a 13-gauge nylon liner. Thanks to Wonder Grip Technology™, the coating brings an unparalleled grip and strength in dry or wet environments. The WG-318 Aqua is 100% waterproof keeping the user's hands dry and comfortable. It is our preference in terms of grip and flexibility in wet environments. It guarantees comfort and grip while maintaining an excellent level of flexibility.

TYPE OF PROTECTION
General purpose, Liquids

APPLICATION
Construction-and-public-works, Public authorities, Food industry, DIY, Waste management, Agriculture, Mining industry

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag





WG-318O
AQUA

The Wonder Grip® WG-318O Aqua is a double latex fully coated glove, constructed on a 13-gauge nylon liner. Thanks to Wonder Grip Technology™, the coating brings an unparalleled grip and strength in dry or wet environments. The WG-318O Aqua is 100% waterproof keeping the user's hands dry and comfortable. It is our preference in terms of grip and flexibility in wet environments. It guarantees comfort and grip while maintaining an excellent level of flexibility.

TYPE OF PROTECTION
General purpose, Liquids

APPLICATION
Construction-and-public-works, Public authorities, Food industry, DIY, Waste management, Agriculture

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW





NORMS

EN388: 2016 3141X

EN 511: 2006 XX1

CE UK CA

WG-318L
AQUA GUARD

The Wonder Grip® WG-318L Aqua Guard is a meticulously engineered 30cm long, double latex coated constructed on an 18-gauge smooth liner, enhancing comfort and reducing hand fatigue. The unique Wonder Grip Technology™ coating provides unmatched grip and durability, whether in dry or wet conditions. 100% water proof, it ensures that the wearer's hands stay dry and comfortable, even during extended periods of use.The Wonder Grip® WG-318L Aqua Guard stands out as our top pick for grip and flexibility in wet conditions, assuring optimal comfort while ensuring unhindered hand movement.

TYPE OF PROTECTION
General purpose, Liquids

APPLICATION
DIY, Food industry, Waste management, Mining industry, Construction-and-public-works, Public authorities, Agriculture

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated
- Double Layer

Support
- Gauge: 18
- Polyester

Packaging
- 72 pairs / box
- 12 pairs / polybag

NEW





NORMS

EN407: 2004 XIXXXX

EN 388: 2016 4131X

CE UK CA

OP-608
OPTY™

The Wonder Grip® OP-608 OPTY™ is a nitrile fully coated glove, constructed on a 13-gauge polyester liner. The nitrile coating brings an exceptional grip in dry to wet environment whilst providing durability and high resistance to abrasion. The OP-608 OPTY™ benefits from the Wonder Grip® TPDT™ technology, conferring the wearer freedom of movement and the increased sensitivity that has earned Wonder Grip® its international reputation.

TYPE OF PROTECTION
General purpose, Liquids, Industrial oils

APPLICATION
Airports and ports, Mining industry, Waste management, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated except wrist
- Single Layer

Support
- Gauge: 13
- Polyester

Packaging
- 240 pairs / box
- 12 pairs / polybag

Aquo
WG318
6 XS UK
Cat. II
EN388
3141X
Oeko-Tex Standard 100
GRIP



INDUSTRIAL OILS RESISTANCE



NORMS

EN388: 2016
4131X

WG-508R
DEXOIL

The Wonder Grip® WG-508R DexOil is an ultra thin, ¾ nitrile back coated glove constructed around an ultra-strechable 13-gauge liner. WG-508R benefits from Wonder Grip Technology™ (nitrile micro foam coating) bringing an exceptional grip, comfort and protection against oil. The WG-508R DexOil is the perfect solution for users seeking superior flexibility, fingertips and medium protection aginst oil splashes.

TYPE OF PROTECTION
General purpose, Industrial oils

APPLICATION
Aerospace, Automotive, Mechanical industry, Warehousing-packing-and-logistics, Assembly

INFORMATIONS

Coating
- Material: Nitrile
- Level: 3/4 back-coated
- Single layer

Support
- Gauge: 13
- Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016
4121X

WG-510
OIL

The Wonder Grip® WG-510 Oil is constructed on a 13-gauge nylon and spandex liner, with a double nitrile coating. This double coating allows for excellent oil protection, preventing the oil from permeating inside the glove, as well as providing extra abrasion resistance. WG-510 Oil allows easy hand movement providing excellent coolness and flexibility.

TYPE OF PROTECTION
General purpose, Industrial oils

APPLICATION
Automotive, Warehousing-packing-and-logistics, Assembly, Mechanical industry, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Double Layer

Support
- Gauge: 13
- Nylon, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-516
DEXOIL+

The Wonder Grip® WG-516 DexOil+ is a ¾ nitrile back coated coating glove maximizing grip, oil protection and refined hand mobility for its wearer. Double coated with our Wonder Grip technology™ WG-516 DexOil+ combines high grip performances for secure handling, uncompromising liquid barrier on top of the hand and better suppleness for easy movement and high level of comfort. The WG-516 DexOil+ is the perfect solution for users seeking, superior grip performance for safe handling and higher comfort when performing delicate tasks in oily environments.

NORMS

EN388: 2016 — 4121X

EN407: 2020 — X1XXXX

CE UKCA

TYPE OF PROTECTION

General purpose, Industrial oils

APPLICATION

Automotive, Assembly, Mechanical industry, Waste management, Metallurgy, Railways, Airports and ports

INFORMATIONS

Coating
- Material: Nitrile
- Level: 3/4 back-coated
- Double Layer

Support
- Gauge: 13
- Nylon, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-518W
OIL PLUS

The Wonder Grip® WG-518W Oil Plus is a double nitrile fully coated glove, constructed on a 15-gauge nylon liner. Thanks to Wonder Grip Technology™, the coating brings an exceptional grip and strength in dry or wet environments. This double nitrile coating combined with Wonder Grip Technology ™ ensures an outstanding protection when the user is working with wet, greasy or oily elements. Double coating technology provides durability and high resistance to abrasion, whilst its unique soft finish offers great dexterity and flexibility with minimal hand fatigue.

TYPE OF PROTECTION
Liquids, Industrial oils

APPLICATION
Automotive, Warehousing-packing-and-logistics, Mechanical industry, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 15
- Nylon

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-528L
OIL GUARD

The Wonder Grip® WG-528L Oil Guard is constructed on a 15-gauge nylon liner with a triple nitrile coating, providing unrivaled abrasion, tear resistance and impermeability to industrial oils. The lightweight construction and soft finish of WG-528L Oil Guard allows the user to maintain a high-level of dexterity while remaining comfortable. WG-528L Oil Guard is the glove of choice for users seeking a heavy-duty glove for damp and oily applications that do not require cut resistance.

TYPE OF PROTECTION
Liquids, Industrial oils

APPLICATION
Public authorities, Automotive, Warehousing-packing-and-logistics, Oil-and-Gas, Mining industry

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated

Support
- Gauge: 15
- Nylon

Packaging
- 72 pairs / box
- 12 pairs / polybag



THERMAL RESISTANCE



NORMS

EN388: 2016 — 2131X
EN511: 2006 — X1X
CE UKCA

WG-320G
THERMO LITE

The Wonder Grip® WG-320G Thermo Lite is a double latex coating glove, constructed on a 13-gauge brushed acrylic and spandex liner. The acrylic provides additional insulation for cold protection, while spandex helps to maintain flexibility, fit and comfort. WG-320G Thermo Lite is the glove of choice for users looking to gain the best fit, dexterity and comfort while keeping their hands warm. Now in Hi-viz green to ensure the user's hands are visible and be safer on the job.

TYPE OF PROTECTION
Cold resistance, General purpose

APPLICATION
Food industry, Construction-and-public-works, Warehousing-packing-and-logistics, Public authorities, Waste management, Mining industry

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 13
- Acrylic, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 — 4132X
CE UKCA

WG-320O
THERMO LITE

The Wonder Grip® WG-320O Thermo Lite is a double latex coating glove, constructed on a 13-gauge brushed acrylic and spandex liner. The acrylic provides additional insulation for cold protection, while spandex helps to maintain flexibility, fit and comfort. WG-320O Thermo Lite is the glove of choice for users looking to gain the best fit, dexterity and comfort while keeping their hands warm.

TYPE OF PROTECTION
Cold resistance, General purpose

APPLICATION
Food industry, Construction-and-public-works, Warehousing-packing-and-logistics, Public authorities, Waste management, Mining industry

INFORMATIONS

Coating
Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 13
- Acrylic, Spandex

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 — 2X41C
EN511: 2006 — X2X
EN407: 2020 — X2XXXX

CE UKCA

WG-338
THERMO PLUS

The Wonder Grip® WG-338 Thermo Plus is a fully double latex coated glove constructed on an 13-gauge acrylic liner. Thanks to the Wonder Grip Technology™ coating, it brings users grip and resistance in dry and watery environments. The WG-338 has been designed to provide a double protection: cold resistance and 100% waterproof. It is the perfect solution for users seeking a glove offering flexibility even in below freezing temperatures.

TYPE OF PROTECTION
Liquids, Cold resistance, Heat resistance, Cut resistance

APPLICATION
Construction-and-public-works, Public authorities, Food industry, Warehousing-packing-and-logistics, Agriculture, Waste management, Mining industry

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Acrylic

Packaging
- 72 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 — 2241X
EN511: 2006 — X2X

CE UKCA

WG-338W
THERMO PLUS DOUBLE

The Wonder Grip® WG-338W Thermo Plus Double is a fully double latex coated glove constructed on an 13-gauge acrylic liner. Thanks to the Wonder Grip Technology™ coating, it brings users grip and resistance in dry and watery environments. The WG-338W has been designed to provide a double protection: cold resistance and 100% waterproof. It is the perfect solution for users seeking a glove offering flexibility even in below freezing temperatures.

TYPE OF PROTECTION
Liquids, Cold resistance

APPLICATION
Construction-and-public-works, Public authorities, Food industry, Warehousing-packing-and-logistics, Agriculture, Waste management

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Acrylic, Polyester

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-348
THERMO LITE PLUS

The Wonder Grip® WG-348 Thermo Lite Plus is a water-repellent, thermal double coated glove, constructed on an warm and comfortable 13-gauge acrylic liner. Extremely flexible and soft it benefits from the Wonder Grip Technology™ latex coating, delivering control grip and dexterity in versatile environments. The WG-348 Thermo Lite Plus is the perfect solution for users seeking comfort and secure handling in cold and wet environments.

TYPE OF PROTECTION
Cold resistance, Liquids

APPLICATION
DIY, Airports and ports, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Acrylic

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-348R
THERMO LITE PLUS

The Wonder Grip® WG-348R Thermo Lite Plus is a water-repellent, thermal double coated glove, constructed on an warm and comfortable 13-gauge acrylic liner. Extremely flexible and soft it benefits from the Wonder Grip Technology™ latex coating,delivering control grip and dexterity in versatile environments. The WG-348R Thermo Lite Plus is the perfect solution for users seeking comfort and secure handling in cold and wet environments.

TYPE OF PROTECTION
Cold resistance, Liquids

APPLICATION
DIY, Airports and ports, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Acrylic

Packaging
- 144 pairs / box
- 12 pairs / polybag



WG-380
THERMO

The Wonder Grip® WG-380 Thermo is a double latex coating and a 10-gauge acrylic piled loop liner winter glove. The napped acrylic liner makes the hands feel warmer in cold conditions. Offering EN511 level 1 cold resistance, WG-380 Thermo can be used in freezing environments.

TYPE OF PROTECTION
Cold resistance

APPLICATION
Construction-and-public-works, Public authorities, Food industry, Warehousing-packing-and-logistics, Waste management, Agriculture

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Double Layer

Support
- Gauge: 10
- Acrylic

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-520IT
THERMO LITE IT

The Wonder Grip® WG-520 Thermo Lite IT is a single nitrile coating glove, built on a 13-gauge brushed acrylic and spandex liner. The acrylic provides additional insulation for cold protection, while spandex helps to maintain flexibility, fit and comfort. WG-520 Thermo Lite IT is the glove of choice for users looking to gain the best fit, dexterity and comfort while keeping their hands warm. WG-520 IT benefits from our Touch screen Technology : Wonder Grip enhanced its coating to answer today's digital working environment. Users stay protected and freely can use any devices with gloves on.

TYPE OF PROTECTION
Cold resistance, General purpose

APPLICATION
Food industry, Warehousing-packing-and-logistics, Waste management, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Nitrile
- Level: Palm coated
- Single layer

Support
- Gauge: 13
- Acrylic, Polyester

Packaging
- 144 pairs / box
- 12 pairs / polybag



NORMS

EN388: 2016 — 4131X
EN511: 2006 — X2X

WG-538
FREEZE FLEX PLUS

The Wonder Grip® WG-538 Freeze Flex Plus is the latest innovation in cold-resistant hand protection from Wonder Grip. It is a fully double coated cold-resistant glove (contact cold performance level 2: keeping your hands warm down to -20 °C). Using a specifically developed innovative nitrile coating, SZNT™ WG-538 Freeze Flex Plus remains flexible and comfortable to use in below freezing conditions, while ensuring ultimate abrasion resistance.

TYPE OF PROTECTION
Liquids, Industrial oils, Cold resistance

APPLICATION
Construction-and-public-works, Public authorities, Food industry, Warehousing-packing-and-logistics, Waste management

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated except wrist
- Triple layer

Support
- Gauge: 13
- Polyester, Acrylic

Packaging
- 72 pairs / box
- 12 pairs / polybag

NEW



NORMS

EN407: 2004 — X2XXXX
EN 388: 2016 — 2X41C
EN 511: 2006 — X21

WG-338L
THERMO PLUS GUARD

The Wonder Grip® WG-338L Thermo Plus Guard is a 30cm long, double latex coated glove, masterfully crafted on a 13-gauge acrylic liner. With its Wonder Grip Technology™ coating, it assures impeccable grip and resilience, both in dry and aqueous conditions. Designed with dual emphasis, the Wonder Grip® WG-338L Thermo Plus Guard offers both cold resistance and full waterproofing. It stands as the ideal choice for challenging tasks in sub-zero temperatures.

TYPE OF PROTECTION
Liquids, Cold resistance, Heat resistance, Cut resistance

APPLICATION
Food industry, Warehousing-packing-and-logistics, Waste management, Mining industry, Construction-and-public-works, Public authorities, Agriculture

INFORMATIONS

Coating
- Material: Latex
- Level: Fully coated except wrist
- Double Layer

Support
- Gauge: 13
- Acrylic

Packaging
72 pairs / box
12 pairs / polybag



CHEMICAL RESISTANCE



OP-600L
OPTY™

The Wonder Grip® OP-600L Opty™ glove, is our new glove protective against chemical risks in dry, oily or humid environments. Thanks to the rough finish on the palm, the grip is excellent in every environments. The triple PVC coating ensures a perfect oil resistance. The liner made of seamless cotton offers an incomparable dexterity. The hands of the users are fully protected thanks to the length (30cm).

TYPE OF PROTECTION
Liquids, Chemical, Industrial oils

APPLICATION
Agriculture, Construction-and-public-works, Public authorities, Waste management, Oil-and-Gas, Mining industry

INFORMATIONS

Coating
- Material: PVC
- Level: Fully coated
- Triple layer

Support
- Gauge: 13
- Cotton

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-658L
CHEM DEFENDER

The Wonder Grip® WG-658L Chem-Defender is our new nitrile coated glove resistant against chemical hazard in dry, oily or humid environments. The tripled coating of Wonder Grip Technology™ on the palm, combined with our preformed molds TPDT ™ technology (Thermo-set Pre-Curved Design Technology ™) offers excellent ergonomic performance, unrivaled grip in slippery environments, and chemical protection. The hands of the users are fully protected thanks to the length (30cm).

TYPE OF PROTECTION
Liquids, Chemical, Heat resistance

APPLICATION
Oil-and-Gas, Agriculture, Waste management

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated
- Triple layer

Support
- Gauge: 18
- Spandex, Polyester, Nylon

Packaging
- 72 pairs / box
- 12 pairs / polybag



WG-758L
DEXCUT®

The Wonder Grip® WG-758L Dexcut® is developed to answer nowadays demanding and increasingly complex working environments. Our WG-758L integrates a 15-gauge cut-resistant liner into nitrile shell for exceptional dexterity and tactility versus standards of the industry. Chemical and cut-resistant certified, WG-758L features the appropriate protection against chemicals and medium cut hazards. Wonder Grip Technology ™ nitrile coating combined with our preformed molds TPDT ™ technology (Thermo-set Pre-Curved Design Technology ™) make WG-758L the perfect solution for excellent ergonomic performance and unrivalled grip in slippery environments.

TYPE OF PROTECTION
Cut resistance, Liquids, Chemical, Industrial oils, Heat resistance

APPLICATION
Agriculture, Waste management, Oil-and-Gas

INFORMATIONS

Coating
- Material: Nitrile
- Level: Fully coated
- Triple layer

Support
- Gauge: 15
- HPPE, Spandex, Polyester

Packaging
- 72pairs / box
- 12 pairs / polybag

ECONYL®

ECONYL® reuses nylon waste to make brand new nylon without polluting our Earth. It's can be recycled, recreated and remoulded again and again.

ECONYL® regenerated nylon is a product that can help you close the loop. Made from waste, it's infinitely recyclable and can unleash infinite possibilities for makers, creators and consumers. It's all part of the ECONYL® brand vision to make the world a better place by pioneering closed loop regeneration processes and delivering sustainable products.



ECONYL®
ENDLESS POSSIBILITIES



WG-8075
DEXCUT®

Wonder Grip® proudly pioneers the use of regenerated Econyl® nylon, setting a remarkable standard in sustainable glove manufacturing. The Wonder Grip® WG-8075 Dexcut® gloves, meticulously developed with innovative Econyl® yarn, exemplify the hand protection solutions that Wonder Grip® is renowned for, prioritizing user comfort, safety, and a steadfast commitment to planet-consciousness. Engineered from regenerated nylon waste, Econyl® yarn goes beyond circular economy and environmental responsibility to provide exceptional flexibility and ease of hand movement. The Wonder Grip® WG-8075 Dexcut® is built on an extremely lightweight and thin fiberglass-free stainless steel liner, providing medium-high cut resistance at level C/A3, all while maintaining the exceptional ease of movement that has earned Wonder Grip® its global reputation. The WG-8075 Dexcut® benefits from the Wonder Grip® 360Integra™ coating, seamlessly integrating safety, well-being, and sustainability while offering mechanical and liquid protection for exceptional dexterity and longevity.

TYPE OF PROTECTION
General purpose

APPLICATION
Aerospace, Warehousing-packing-and-logistics, Assembly, Construction-and-public-works, Public authorities, Electronics, Automotive

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single Layer

Support
- Gauge: 13
- Spandex, Nylon, Steel Fiber

Packaging
- 144 pairs / box
- 12 pairs / polybag

NEW



WG-8028
ALTIVERDE

Wonder Grip® proudly pioneers the use of regenerated Econyl® nylon, setting a remarkable standard in sustainable glove manufacturing. The Wonder Grip® WG-8028 Altiverde gloves, meticulously developed with innovative Econyl® yarn, exemplify the hand protection solutions that Wonder Grip® is renowned for, prioritizing user comfort, safety, and a steadfast commitment to planet-consciousness. Engineered from regenerated nylon waste, Econyl® yarn goes beyond circular economy and environmental responsibility to provide exceptional flexibility and ease of hand movement. The Wonder Grip® WG-8028 Altiverde features a Wonder Grip® latex coating that ensures an unyielding grip, preventing slips and accidents, especially in the most challenging conditions. The Wonder Grip® WG-8028 Altiverde enhance protection against accidental falls, object drops, and tool slippage, making it the top choice for various workplaces while contributing to a greener, circular future.

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Assembly, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: Latex
- Level: Palm coated
- Single Layer

Support
- Gauge: 13
- Spandex, Nylon

Packaging
- 240 pairs / box
- 12 pairs / polybag

NEW



WG-8013
RENASCEN

Wonder Grip® proudly pioneers the use of regenerated Econyl® nylon, setting a remarkable standard in sustainable glove manufacturing. The Wonder Grip® WG-8013 Renascen gloves, meticulously developed with innovative Econyl® yarn, exemplify the hand protection solutions that Wonder Grip® is renowned for, prioritizing safety, user comfort, and a steadfast commitment to planet-consciousness. Engineered from regenerated nylon waste, Econyl® yarn goes beyond circular economy and environmental responsibility to provide exceptional flexibility and ease of hand movement. The Wonder Grip® WG-8013 Renascen features a Wonder Grip® ultra-thin PU coating that ensures an unmtached sensitivity whilst delivering superior grip, reducing slips and accidents, especially in dry conditions. The Wonder Grip® WG-8013 Renascen enhance protection against object drops, and tool slippage, while contributing to a greener, circular future.

TYPE OF PROTECTION
General purpose

APPLICATION
DIY, Warehousing-packing-and-logistics, Assembly, Construction-and-public-works, Public authorities

INFORMATIONS

Coating
- Material: PU
- Level: Palm coated
- Single Layer

Support
- Gauge: 13
- Spandex, Nylon

Packaging
240 pairs / box
12 pairs / polybag

NEW

RETAIL EXPERTS

Wonder Grip has a strong reputation in the international retail market.

We offer a varied range of displays that are easy to implement. All our products are available in blister format so they can be hung from displays.





Our displays are accompanied by an explanatory sheet to guide consumers in choosing their protection.



CHOOSE YOUR SIZE





CHOOSE YOUR PROTECTION



Conception graphique : 11/2024